

FIG. 1 System for Selecting
Television Channels for display
on a Television Receiver




FIG. 2 Program Guide Channel
(Prior Art)

PRINT OF DRAWINGS
AS ORIGINALLY FILED




FIG. 3 User-Interface unit for
an Interactive Electronic
Program Guide ^{system} (Prior Art)




FIG. 4 Program Guide Displayed on a Television Receiver

Interactive Electronic Program-Guide System with Sideways Scrolling Capability




FIG. 5




FIG. 6A Program-Guide Database

- 63 SLE Surf left enable
- 64 SLN Surf left channel no.
- 65 SRE Surf right enable
- 66 SRN Surf right channel no.
- 67 NCN Next Category channel no.
- 68 PCN Previous Category Channel no.

FIG. 6C Variables Maintained by
 Electronic Program Guide to
 Support Sideways Surfing





FIG. 6B Channel Hat



PRINT OF DRAWINGS
AS ORIGINALLY FILED

80





FIG. 8 Flow Chart of Algorithm used in Selecting Channels and Surfing in TV mode.

FIG. 9A Flow Chart of Algorithm for Updating the Channel Hat and



PRINT OF DRAWINGS
AS ORIGINALLY FILED




FIG. 9B Steps Added to Algorithm 90 to Prepare for Surfing to a Channel Carrying a Program in the Previous Category